



FTIR prices
Brian.English

to:

Carla Fisher, Greg Weigel

02/08/2013 08:25 AM

Hide Details

From: <Brian.English@deq.idaho.gov>

To: Carla Fisher/R10/USEPA/US@EPA, Greg Weigel/R10/USEPA/US@MSO365,

1 Attachment



BRIAN.English.vcf

FTIR prices have dropped significantly in the past few years and that type system would be protective given the variability of the PH3 readings and the prediction that the PH3 concentrations increase with time barring extraction.

Susan's point is valid.



***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****